Standard Floor Balances LX11SFB

Email: info@labdex.com **website:** www.labdex.com

Description

It is a high resolution table top unit built with superior precision load cell sensor for accurate weighing and stability. It has easy balance tare and quick stabilization providing reliable weight measurements. The LCD display indicator is equipped with adjustable angle viewing for better visual monitoring of the measured weight. Operational buttons are accessible for manual operation. Four wheels can be attached at the bottom of the SST pan for better locomotion of the equipment.

Specifications

Weighing capacity	100 kg
Minimum weighing	1 g
Pan size	500 × 400 mm
Calibration system	External calibration
Interface	RS232
Display	LCD
Power	220 V / 110 V
Outer dimensions	700 × 400 × 950 mm
Packing dimensions	860 × 490 × 240 mm
Gross weight	14 kg

Features

- High-precision load cell sensor
- Dynamic weighing with count, percentage and multiple unit conversion feature
- Anti-corrosive stainless steel pan

- Fluctuation free readings
- External calibration function
- Rechargeable batteries
- Dual LCD display (white backlight and black font) for visual monitoring
- Four wheels can be attached at the bottom of the SST pan for better locomotion of the equipment

Applications

- Used in industries, in wholesale operations, animal and other heavy equipment weighing.

Optional Accessories

Accessory No	Accessory Name
01	Four wheels for the SST pan

71-75 Shelton Street Covent Garden, London WC2H 9JQ UK.

Email: info@labdex.com | Website: www.labdex.com